CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025



Page 1 of 18 Print Date 05/14/2025

SAFETY DATA SHEET

CORETM MB3312 RAIN DROP FR

| Section 1. Identification | on | |
|--------------------------------------|-------|---|
| | | |
| GHS product identifier | : | CORE™ MB3312 RAIN DROP FR |
| Chemical name | : | Mixture |
| CAS number | : | Mixture |
| Other means of identification | : | FO20051580 |
| Product type | : | liquid |
| | | |
| Relevant identified uses of the subs | tance | e or mixture and uses advised against |
| Product use | : | Industrial applications. Plastics. |
| | | |
| Supplier's details | : | AVIENT CORPORATION |
| | | 33587 Walker Road, Avon Lake, OH 44012 |
| | | |
| | | 1 (440) 930-1000 or 1 (844) 4AVIENT |
| | | |
| Emergency telephone number | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or |
| (with hours of operation) | | accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

| OSHA/HCS status | : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|---|--|
| Classification of the substance or mixture | : | EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1 CARCINOGENICITY - Category 1B |

GHS label elements

CORE™ MB3312 RAIN DROP FR



Version Number 1.0 Revision Date 05/13/2025

Page 2 of 18 Print Date 05/14/2025

| Hazard pictograms | : | |
|----------------------------------|---|---|
| Signal word Hazard statements | : | Danger May cause an allergic skin reaction. Causes eye irritation. May cause cancer. |
| Precautionary statements | | |
| Prevention | : | Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Avoid breathing vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. |
| Response | : | IF exposed or concerned: Get medical advice or attention. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. |
| Storage | : | Store locked up. |
| Disposal | : | Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | FO20051580 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---|---------------|------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, | >= 25 - <= 50 | 68515-48-0 |
| C9-rich | | |
| Antimony trioxide | >= 1 - <= 3 | 1309-64-4 |



CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025 Page 3 of 18 Print Date 05/14/2025

| Titanium dioxide | >= 0.3 - <= 1 | 13463-67-7 |
|---------------------------------|---------------|----------------|
| Proprietary Hazardous Compounds | >= 0.3 - < 1 | Not available. |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

| Eye contact | : | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. |
|--------------|---|---|
| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Skin contact | : | Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

Most important symptoms/effects, acute and delayed

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025



Page 4 of 18 Print Date 05/14/2025

Potential acute health effects

| Eye contact Inhalation Skin contact Ingestion | :: | Causes eye irritation. No known significant effects or critical hazards. May cause an allergic skin reaction. No known significant effects or critical hazards. |
|--|--------|--|
| Over-exposure signs/symptoms | | |
| Eye contact | : | Adverse symptoms may include the following: irritation watering redness |
| Inhalation | : | No specific data. |
| Skin contact | : | Adverse symptoms may include the following: irritation redness |
| Ingestion | : | No specific data. |
| Indication of immediate medical at | tentio | on and special treatment needed, if necessary |
| Notes to physician | : | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO ₂ . None known. |
|--|---|--|
| Specific hazards arising from the chemical Hazardous thermal decomposition products | : | In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide |

AVIENT

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025 Page 5 of 18 Print Date 05/14/2025

| | | carbon monoxide halogenated compounds metal oxide/oxides |
|--|---|---|
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|-------|---|
| : | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| ent a | nd cleaning up |
| : | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| : | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non- combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency |
| | : : : |

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025



Page 6 of 18 Print Date 05/14/2025

contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|---|---|---|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|------------------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich | None. |
| Antimony trioxide | NIOSH REL (1994-06-01) |

CORE™ MB3312 RAIN DROP FR


ÀVIENT

Version Number 1.0 Revision Date 05/13/2025 Page 7 of 18 Print Date 05/14/2025

| | TWA 0.5 mg/m3 OSHA PEL 1989 (1989-03-01) TWA 0.5 mg/m3 (as Sb) OSHA PEL (1993-06-30) TWA 0.5 mg/m3 (as Sb) ACGIH TLV (2021-01-07) TWA 0.02 mg/m3 Form: Inhalable fraction |
|---------------------------------|---|
| Titanium dioxide | OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles |
| Proprietary Hazardous Compounds | None. |

| Appropriate engineering controls Environmental exposure controls | : | If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
|---|---|--|
| Individual protection measures | | |
| Hygiene measures Eye/face protection | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. |
| Skin protection | | |

CORE™ MB3312 RAIN DROP FR





| Page 8 of 18 |
|-----------------------|
| Print Date 05/14/2025 |

| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
|------------------------|---|--|
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Other skin protection | : | Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
| Respiratory protection | : | Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |

Section 9. Physical and chemical properties

Appearance

| | | 1 |
|---------------------------|---|-----------------------|
| Physical state | : | liquid [liquid] |
| Color | : | WHITE |
| Odor | : | Not available. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | Not available. |
| Partition coefficient: n- | : | Not applicable. |
| | | |

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025



Page 9 of 18 Print Date 05/14/2025

| octanol/water | | |
|---------------------------|---|---------------------------|
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| - | | Kinematic: Not available. |

Section 10. Stability and reactivity

| Reactivity | 1 | ecific test data related to reactivity available for this product or redients. |
|-------------------------------------|-------------------|--|
| Chemical stability | Stable Section | under recommended storage and handling conditions (see n 7). |
| Possibility of hazardous reactions | Under not occ | normal conditions of storage and use, hazardous reactions will cur. |
| Conditions to avoid | Keep a | way from extreme heat and oxidizing agents. |
| Incompatible materials | | contact with acetal homopolymers and acetyl homopolymers processing. |
| Hazardous decomposition products | | normal conditions of storage and use, hazardous decomposition ets should not be produced. |

Section 11. Toxicological information

Information on toxicological effects

| Acute toxicity | | | | | | | | |
|---------------------------------|---|------------|---------------|----------|--|--|--|--|
| Product/ingredient name | Result | Species | Dose | Exposure | | | | |
| 1,2-Benzenedicarboxylic acid, o | 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | | | | | | | |
| | LD50 Oral | Rat | 10,000 mg/kg | - | | | | |
| Antimony oxide (Sb2O3) | | | | | | | | |
| | LD50 Oral | Rat | 34,000 mg/kg | - | | | | |
| Titanium oxide (TiO2) | | | | | | | | |
| | LC50 Inhalation | Rat - Male | 6.82 Mg/l | 4 h | | | | |
| | Dusts and mists | | | | | | | |
| | LD50 Dermal | Rabbit | > 5,000 mg/kg | - | | | | |

Conclusion/Summary

: Mixture.Not fully tested.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|---|----------------------|---------|-------|----------|-------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | Eyes - Mild irritant | Rabbit | - | | - |

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025

Page 10 of 18 Print Date 05/14/2025

| Antimony oxide (Sb2O3) | Eyes - Mil | ld irri | itant Rabb | oit | - | | - |
|---|--|---------------------|---|---------|----------------|-----------------|-----------------|
| Conclusion/Summary | | | | | | | |
| Conclusion/Summary Skin | | м | ivtura Not fully | tostad | | | |
| Skii Eyes | : | | ixture.Not fully ixture.Not fully | | | | |
| Respiratory | : | | ixture.Not fully | | | | |
| Kespirator y | • | IVI | Ixture.not fully | lesteu. | | | |
| Sensitization | | | | | | | |
| Conclusion/Summary | | | | | | | |
| Skin | : | | ixture.Not fully | | | | |
| Respiratory | : | M | ixture.Not fully | tested. | | | |
| Mutagenicity | | | | | | | |
| Conclusion/Summary | : | M | ixture.Not fully | tested. | | | |
| Carcinogenicity | | | | | | | |
| Conclusion/Summary | : | M | ixture.Not fully | tested. | | | |
| Classification | | | | | | | |
| Product/ingredient name | OSHA | | IARC | NTP | | | |
| Antimony oxide (Sb2O3) | - | | 2A | Reaso | nably anticipa | ated to be a hu | man carcinogen. |
| | | | | Rease | muerj unuerpe | | * |
| Titanium oxide (TiO2) | - | | 2B | - | | | |
| Titanium oxide (TiO2) | - | | | | | | |
| | - | M | | - | | | |
| Titanium oxide (TiO2) <u>Reproductive toxicity</u> | 1 | M | 2B | - | | | |
| Titanium oxide (TiO2) Reproductive toxicity Conclusion/Summary | 1 | | 2B | - | | | |
| Titanium oxide (TiO2) Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary | : | M | 2B ixture.Not fully ixture.Not fully | - | | | |
| Titanium oxide (TiO2) Reproductive toxicity Conclusion/Summary Teratogenicity | : | M | 2B ixture.Not fully ixture.Not fully | - | | | |
| Titanium oxide (TiO2) Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary Specific target organ toxicity | : : : : : | M oosur | 2B ixture.Not fully ixture.Not fully <u>e)</u> | - | | | |
| Titanium oxide (TiO2) Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary Specific target organ toxicity Not available. Specific target organ toxicity | : : : : : | M oosur | 2B ixture.Not fully ixture.Not fully <u>e)</u> | - | | | |
| Titanium oxide (TiO2) Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary Specific target organ toxicity Not available. Specific target organ toxicity Not available. Aspiration hazard | : <u>(single exp</u> (repeated o | M oosur expos | 2B ixture.Not fully ixture.Not fully <u>e)</u> | - | | | |
| Titanium oxide (TiO2) Reproductive toxicity Conclusion/Summary Teratogenicity Conclusion/Summary Specific target organ toxicity Not available. Specific target organ toxicity Not available. Aspiration hazard Not available. Information on the likely rou | : <u>(single exp</u> (repeated o | M oosur expos | 2B ixture.Not fully ixture.Not fully <u>e)</u> <u>sure)</u> | - | | | |



CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025

Potential acute health effects



Page 11 of 18 Print Date 05/14/2025

| Eye contact | Causes eye irritation. No known significant effects or critical hazards. May cause an allergic skin reaction. No known significant effects or critical hazards. chemical and toxicological characteristics Adverse symptoms may include the following: irritation, watering, redness |
|--|--|
| Inhalation Skin contact | No specific data.Adverse symptoms may include the following: irritation, redness |
| Ingestion | No specific data. |
| <u>Delayed and immediate effects and</u> <u>Short term exposure</u> | l also chronic effects from short and long term exposure |
| Potential immediate effects Potential delayed effects | Not available.Not available. |
| Long term exposure | |
| Potential immediate effects Potential delayed effects | Not available.Not available. |
| Potential chronic health effects | |
| Conclusion/Summary | : Mixture.Not fully tested. |
| General | : Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | : May cause cancer. Risk of cancer depends on duration and level of exposure. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : Not available. |
| Developmental effects Fertility effects | Not available.No known significant effects or critical hazards. |
| Numerical measures of toxicity | |
| <u>Acute toxicity estimates</u> N/A | |
| Other information | : This mixture has not been evaluated as a whole for health effects. |

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025



Page 12 of 18 Print Date 05/14/2025

Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|-------------------------------|------------------------------|----------|
| Antimony oxide (Sb2O3) | | | |
| | Acute LC50 > 530 Mg/l Fresh | Fish - Lepomis macrochirus | 96 h |
| | water | | |
| | Acute EC50 560 Mg/l Fresh | Crustaceans - Cypris | 48 h |
| | water | subglobosa | |
| | Acute EC50 3.01 Mg/l Fresh | Daphnia - Daphnia magna | 48 h |
| | water | | |
| Titanium oxide (TiO2) | | | |
| | Acute LC50 > 1,000 Mg/l | Fish - Fundulus heteroclitus | 96 h |
| | Marine water | | |
| | Acute LC50 3 Mg/l Fresh water | Crustaceans - Ceriodaphnia | 48 h |
| | _ | dubia | |
| | Acute LC50 6.5 Mg/l Fresh | Daphnia - Daphnia pulex | 48 h |
| | water | | |

Conclusion/Summary

: Not available.

Persistence and degradability

Conclusion/Summary

Not available.

:

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--------------------------------------|--------|------|-----------|
| 1,2-Benzenedicarboxylic acid, di-C8- | 8.8 | 3.00 | low |
| 10-branched alkyl esters, C9-rich | | | |

Mobility in soil

| Soil/water partition coefficient (KOC) | : | Not available. |
|--|---|---|
| Other adverse effects | : | No known significant effects or critical hazards. |

12/18

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025

ÀVIENT

Page 13 of 18 Print Date 05/14/2025

Section 13. Disposal considerations

:

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|---------------------------------------|
| International Air ICAO/IATA | : | Consult mode specific transport rules |
| International Water IMO/IMDG | : | Consult mode specific transport rules |

Section 15. Regulatory information

| U.S. Federal regulations | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich |
|--------------------------|---|
| | United States - TSCA 4(a) - ITC Priority list: Not listed |
| | United States - TSCA 4(a) - Proposed test rules: Not listed |
| | 12/18 |

Substances

SAFETY DATA SHEET

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025



Page 14 of 18 Print Date 05/14/2025

United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Listed 4-Nonylphenol, branched United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Listed Lead United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed (2-Methoxymethylethoxy)propanol 4-Nonylphenol, branched United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Antimony trioxide Zinc borate Boric acid, zinc salt 2-Ethylhexanoic acid zinc salt Phenol Arsenic Lead Chromium (III) oxide Vinyl chloride monomer United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed Clean Air Act Section 112(b) Listed : Hazardous Air Pollutants (HAPs) Not listed Clean Air Act Section 602 Class I • Clean Air Act Section 602 Class II : Not listed

AVIENT

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025 Page 15 of 18 Print Date 05/14/2025

SubstancesDEA List I Chemicals (Precursor: Not listedChemicals): Not listedDEA List II Chemicals (Essential: Not listedChemicals): Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

| Chemical Name | CAS-No. | RQ for component |
|-------------------|-----------|-----------------------|
| Antimony trioxide | 1309-64-4 | 1,000 lb(s) 454 kg |

SARA 311/312

Classification

EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1 CARCINOGENICITY - Category 1B

Composition/information on ingredients

| Name | % | Classification |
|---|---------------|---|
| 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich | >= 25 - <= 50 | EYE IRRITATION - Category 2B |
| Antimony oxide (Sb2O3) | >= 1 - <= 3 | EYE IRRITATION - Category 2B CARCINOGENICITY - Category 1B |
| Titanium oxide (TiO2) | >= 0.3 - <= 1 | CARCINOGENICITY - Category 2 |
| Proprietary Hazardous Compounds | >= 0.3 - < 1 | FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY - oral - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1A |

<u>SARA 313</u>

Form R - Reporting requirements

| Product name | CAS number | % |
|-------------------|------------|------------|
| Antimony trioxide | 1309-64-4 | >= 1 - < 5 |
| | | |

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025

Page 16 of 18 Print Date 05/14/2025

| Lood | 7420 02 1 | >-0 < 0.1 |
|------|-----------|--------------|
| Lead | /439-92-1 | >= 0 - < 0.1 |
| | | |
| | | |
| | | |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| <u>State regulations</u> | |
|--------------------------|---|
| Massachusetts | : The following components are listed: Antimony trioxide |
| New York | : The following components are listed: Antimony trioxide |
| New Jersey | : The following components are listed: Ethene, chloro-, homopolymer Antimony trioxide |
| Pennsylvania | : The following components are listed: Antimony trioxide |

California Prop. 65

- ...

a . . .

WARNING: This product can expose you to chemicals including 1,2-Benzenedicarboxylic acid, di-C8-10branched alkyl esters, C9-rich, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|---|---------------------------|------------------------------------|
| 1,2-Benzenedicarboxylic acid, di-C8-10- branched alkyl esters, C9-rich | Yes. | - |
| Antimony trioxide | - | - |
| Titanium dioxide | - | - |

| United States inventory (TSCA 8b) | : | Not determined. |
|---|---|---|
| Canada inventory | : | Not determined. |
| International regulations Inventory list | | |
| Australia | : | Not determined. |
| Canada | : | Not determined. |
| China | : | Not determined. |
| Eurasian Economic Union | : | Russian Federation inventory: Not determined. |
| Japan | : | Japan inventory (CSCL): Not determined. |
| - | | Japan inventory (ISHL): Not determined. |
| New Zealand | : | Not determined. |
| Philippines | : | Not determined. |
| | | 10/10 |

ÄVIENT"

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025



Page 17 of 18 Print Date 05/14/2025

| Republic of Korea | : | Not determined. |
|-------------------|---|-----------------|
| Taiwan | : | Not determined. |
| Thailand | : | Not determined. |
| Turkey | : | Not determined. |
| United States | : | Not determined. |
| Viet Nam | : | Not determined. |

Section 16. Other information

Hazardous Material Information System (U.S.A.)

| Health | * | 2 |
|-------------------|---|---|
| Flammability | | 0 |
| Physical hazards | | 0 |
| r nysicar nazarus | | |

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

| Histor | | |
|--------------------------------|---|--|
| Date of printing | : | 05/14/2025 |
| Date of issue/Date of revision | : | 05/13/2025 |
| Date of previous issue | : | 05/12/2025 |
| Version | : | 1.0 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| • | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |
| | | |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the

CORE™ MB3312 RAIN DROP FR

Version Number 1.0 Revision Date 05/13/2025 Page 18 of 18 Print Date 05/14/2025

sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

